Adapted from online report



Florida Department of Business & Professional Regulation Building Codes and Standards Page 1 of 1 4/ 13/2016

Product Approval Application Detail

	<u>Code</u> Version	Manufacturer_	Contact	Entity or Engineer & License	Validated By	<u>Date</u> Validated	<u>Date</u> Submitted	Date Pending FBC Approval	<u>Date</u> Approved	Statu
V	2014	Duradek U.S. Inc. Category: Roofing SubCategory: Single Ply Roof Systems Compliance Method: Certification Mark or Listing	Len Viegener (866) 591-5594 Ien@duradek.com	Quality Auditing Institute Ltd.	Quality Auditing Institute Ltd. (604) 527-8378	04/06/2016	03/0 1/2016		04/10/2016	Approv
FL#200	69 Produ	<u>cts</u>								
Seq #		Product Model, Number or Name	Product Description		Quality Assurance, Contract Expiration Date	Approved in HV		Approved for Use Outside HVHZ	Impact Resistant	<u>Design</u> Pressure
1	I	Duradek Ultra Roof and Walking Deck Membrane			04/29/2020	No		Yes	Yes	+200/-200

Application Type:	ALL	Product Manufacturer:	Duradek U.S. Inc.
Category:	ALL	Subcategory:	ALL
Application Status:	A1-1	Compliance Methods	011